

Figure 1






Figure 3

WO 2005/059126 PCT/GB2004/005266




Figure 4

WO 2005/059126 PCT/GB2004/005266




Figure 5

acceptor	time	temp.	temp. yield ^[e] / %									conv.lc	
	/h	/ °C	a	b	С	d	е	$H^{[d]}$	$S^{[d]}$	total		/%	
	105	45	18	24			2	37	44	81	1,2	92	
MeβGal MeβGal	15	80	51	36		-	1	0	88	88	œ	78	
cellobiose	250	45	14	15		-	-	44	29	73	0.7	100	
cellobiose	15	80	22	27	-	-	-	6	49	55	8.2	79	
lactose	105	45	21	29	-	-	-	33	50	75	2.0	80	
lactose	15	80	30	54	-	-	-	16	84	100	5.3	91	
MeβMan	105	45	16	38	-	-	-	46	54	100	1.2	100	
MeβMan	15	80	39	46	-	•	-	15	85	100	5.7	92	
PhβGlc	180	45	9	46	-	26	-	17	81	98	4.8	97	
PhβGlc	16	80	0	28	-	12	-	37	??	??	?	100	
PhaMan	41	45	0	3	12	-	-	85	15	100	0.2	100	
PhaMan	15	80	1	10	25	-	-	64	36	100	0.6	100	

Figure 6

WO 2005/059126 PCT/GB2004/005266

		T20777	time	temp.			S/H	conv.					
ratio	D	E387Y		-				:[e]	$\mathbf{H}^{[d]}$	$S^{[d]}$	total		/%
[D:A]	/mM	$/ \text{mgmL}^{-1}$	/ h	/ °C	a	b	d.	tri ^[e]	п				
			41	45	17	37	29	11	6	94	100	16	47
1:1	30	1	41	45				_	_	88	100	44	74
1:2	30	1	41	45	18	15	49	6	2	00	100	.,,	
		1	41	45	5	0	72	23	<1	>99	100	99	29
1:3	30	1	•••				17	2	<1	47	48	47	58
1:1	60	1	41	45	10	17	17	3	-1	7,			
1:1	60	2	41	45	6	6	22	0	40	34	74	0.85	66

Figure 7